

HERACLES



H140

H140

Standard version

The H140 is a compact and efficient wheel loader with a 20 kW Loncin gasoline engine, 700 kg operating weight, and a 500 kg tipping load. It offers a travel speed of up to 20 km/h, a 45° steering angle, and a tight turn radius of 800 mm (inside). With a 40 L/min hydraulic flow at 200 bar, it's built for reliable, heavy-duty performance in any work environment.



Technical data	H140
Engine model	Loncin LC2V80FD
Fuel type	Gasoline
Cylinders	2
Displacement cc	764
Emission standards	eu stage v & EPA Tier 4 final
Max engine output	20@3600 rpm
Max engine torque	52@2800 rpm
Cooling system	Air
Operating voltage	12 V
Battery	45 Ah
Operating weight	700 kg
Max tipping load	500 kg
Max lifting capacity	350 kg
Cab type	Canopy
Travel speed	0~20 km/h
Steering angle	45
Turn radius in/out	800/2000 mm
Standard tires	20x10.00-10
Fuel tank capacity	15 L
Hydraulic oil tank capacity	23 L
Working hydraulic flow	20/40 (Optional) L/min
Working hydraulic pressure	180 bar
Transmission type	Hydrostatic
Tires size	20x10.00-10
Height	1880 mm
Width	1040 mm





Our machine is designed to handle a wide variety of tasks with ease, thanks to its range of attachments.

Here are some of our most popular options:

Bucket: Great for scooping and moving soil, gravel, sand, and other loose materials.

Lawnmower: Easily trim grass and keep your lawn looking neat and well-maintained.

Pitchfork: Perfect for cleaning out horse stalls, moving hay, or handling manure.

Snowblade: Quickly and easily clear snow from your driveways, walkways, and other areas.

Pallet Forks: Lift and move pallets safely and with great precision, saving you time and effort.

Grab Bucket: Securely grab, carry, and transport large or bulky items with ease.

Sweeper: Keep your property clean and tidy by quickly sweeping away debris, dirt, and dust.




The H140 model is equipped with a compact yet efficient 764cc gasoline engine, delivering up to 20 horsepower at 3600 RPM and 52 Nm of torque at 2800 RPM. Designed to meet EU Stage V & EPA Tier 4 Final emission standards, this loader ensures environmentally conscious performance. With a travel speed of up to 20 km/h, a steering angle of 45°, and a tight turning radius of 800/2000 mm, the H140 offers impressive maneuverability for urban sites or narrow workspaces.





Compact in size but powerful in function, the H140 features a hydrostatic transmission, canopy cab, and 20X10.00-10 tires for stability and smooth operation. It handles loads up to 500 kg tipping and 350 kg lifting capacity, while its hydraulic system delivers 40 L/min flow at 200 bar pressure—ideal for precise operations. With a fuel tank capacity of 15 L and a 23 L hydraulic oil tank, the H140 is engineered for long hours on the job with minimal downtime.



For more information on how our loaders can optimize your operations and to explore the full range of available attachments.

Webpage:
www.heracles.eu

Email:
info@heracles-machinery.com

2026 - V1
HERACLES